area, hospital offi

police are reviewing and planned to interopkins and her attorney


rding to the transcript. charged that Hopkins dly yelled at Longstreth ze him medication withorming medical staff. kins allegedly tried to

ompetition



John Finamore, senior vice president of regional operations for **Penn National** Gaming, stands in Slot City at the Charles Town Races & Slots in Charles Town, W.Va. Penn National Gaming nc. has spent at least \$150 million since L997 to build West 'irginia's largest and nost lavish slots-only asino in the state's astern Panhandle.

AP Photo



You're Invited to Attend Information Meetings About the Bally Groundwater Contamination Superfud Site Cleanup

The U. S. Environmental Protection Agency (EPA) is evaluating the current treatment system at the Bally Borough, Berks County, Pennsylvania, municipal water supply. This action is being taken because a solvent, called 1,4-dioxane, was recently detected in the municipal water supply at very low levels. Although these levels do not present an immediate health concern, an ongoing effort is underway to identify an alternative source of drinking water for the Borough. In the meantime, American Household, Inc. has offered to provide bottled water to consumers on a voluntary basis.

Please stop by our informal information sessions at your convenience and talk with representatives of the Borough, EPA, PADEP, or American Household. Inc. about the water quality issues on:

> March 19, 2003 10:00 a.m. - 12:00 p.m.or 1:30 p.m. - 4:30 p.m. at the The Bally Firehouse 537 Chestnut Street, Bally, PA

Or attend a formal Public Meeting on:

March 19, 2003 6:30 p.m. - 8:30 p.m. at The Bally Firehouse 537 Chestnut Street, Bally, PA

For more information, please contact the following EPA representatives:

Mitch Cron 215-814-3286 Carrie Deitzel

Remedial Project Manager Community Involvement Coordinator 1650 Arch Street 800-553-2509 or 215-814-5525

U.S. EPA Region III Philadelphia, PA 19103

